

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representation of
The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

THIS PAGE BLANK (USPTO)




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

| | | |
|---|--|---|
| (51) International Patent Classification ⁷ : G05B 19/418, G06F 17/60 | A1 | (11) International Publication Number: WO 00/62138 (43) International Publication Date: 19 October 2000 (19.10.00) |
| (21) International Application Number: PCT/FI00/00283 (22) International Filing Date: 31 March 2000 (31.03.00) (30) Priority Data: 990715 31 March 1999 (31.03.99) FI (71) Applicant (for all designated States except US): VALMET CORPORATION [FI/FI]; Fabianinkatu 9 A, FIN-00130 Helsinki (FI). (72) Inventor; and (75) Inventor/Applicant (for US only): MÄKI, Kari, M. [FI/FI]; Paperimestarintie 4 C, FIN-40250 Jyväskylä (FI). (74) Agent: FORSSÉN & SALOMAA OY; Yrjönkatu 30, FIN-00100 Helsinki (FI). | (81) Designated States: AE, AG, AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), DM, DZ, EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published With international search report. In English translation (filed in Finnish). | |

(54) Title: MAINTENANCE MANAGEMENT SYSTEM FOR A PRODUCTION PLANT

(57) Abstract

The invention relates to a method and system for arranging the maintenance of a production plant. In the method according to the invention, information related to the manufacturing processes and machinery of a production plant (20) is collected by means of at least one information system and/or measurement unit and/or production control unit (21, 22, 23, 24, 25), and the information is sent from the production plant (20) to a remote service unit (10), wherein information submitted from the production plant (20) is collected and analyzed. In the method, the internal information network of the production plant (20) and the information network of the service unit (10) are isolated from the Internet by firewalls (F₁₀, F₂₀). The information is transferred bidirectionally via the firewalls (F₁₀, F₂₀) between the information networks of the production plant (20) and the service unit (10) in a secured format. The system according to the invention includes in the production plant (20) information systems (21, 22, 23, 24, 25), wherefrom information is transferred to a service system server (26) and further includes a service unit (10) comprising a data analysis unit (12) and a data bank (13). In the system there is established between the production plant (20) and the service unit (10) a secured communications connection comprising a firewall (F₂₀) of the production plant (20), a firewall (F₁₀) of the service unit (10) and a secured communications connection therebetween.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

| | | | | | | | |
|----|--------------------------|----|--|----|--|----|--------------------------|
| AL | Albania | ES | Spain | LS | Lesotho | SI | Slovenia |
| AM | Armenia | FI | Finland | LT | Lithuania | SK | Slovakia |
| AT | Austria | FR | France | LU | Luxembourg | SN | Senegal |
| AU | Australia | GA | Gabon | LV | Latvia | SZ | Swaziland |
| AZ | Azerbaijan | GB | United Kingdom | MC | Monaco | TD | Chad |
| BA | Bosnia and Herzegovina | GE | Georgia | MD | Republic of Moldova | TG | Togo |
| BB | Barbados | GH | Ghana | MG | Madagascar | TJ | Tajikistan |
| BE | Belgium | GN | Guinea | MK | The former Yugoslav Republic of Macedonia | TM | Turkmenistan |
| BF | Burkina Faso | GR | Greece | | | TR | Turkey |
| BG | Bulgaria | HU | Hungary | ML | Mali | TT | Trinidad and Tobago |
| BJ | Benin | IE | Ireland | MN | Mongolia | UA | Ukraine |
| BR | Brazil | IL | Israel | MR | Mauritania | UG | Uganda |
| BY | Belarus | IS | Iceland | MW | Malawi | US | United States of America |
| CA | Canada | IT | Italy | MX | Mexico | UZ | Uzbekistan |
| CF | Central African Republic | JP | Japan | NE | Niger | VN | Viet Nam |
| CG | Congo | KE | Kenya | NL | Netherlands | YU | Yugoslavia |
| CH | Switzerland | KG | Kyrgyzstan | NO | Norway | ZW | Zimbabwe |
| CI | Côte d'Ivoire | KP | Democratic People's Republic of Korea | NZ | New Zealand | | |
| CM | Cameroon | | | PL | Poland | | |
| CN | China | KR | Republic of Korea | PT | Portugal | | |
| CU | Cuba | KZ | Kazakhstan | RO | Romania | | |
| CZ | Czech Republic | LC | Saint Lucia | RU | Russian Federation | | |
| DE | Germany | LI | Liechtenstein | SD | Sudan | | |
| DK | Denmark | LK | Sri Lanka | SE | Sweden | | |
| EE | Estonia | LR | Liberia | SG | Singapore | | |

Maintenance management system for a production plant

- 5 The invention relates to a maintenance management method and system for a production plant.

The invention is related to the maintenance management of a production plant by virtue of bidirectional transfer of information between the production plant and a
10 remotely located service unit responsible for service operations in order to provide information exchange for service and maintenance. In the present application, the term production plant is understood to refer to paper mills, board mills, pulp production plants, paper finishing plants and the like installations related to the manufacture/conversion of paper/board.

15

Conventionally, the servicing of paper/boardmaking machines and the like is based on separate machine analyses, condition tests and service packages, as well as service agreements based thereon, all of these aiming to minimize the occurrence of fault and disturbance factors in production plants. During malfunction
20 situations, additional servicing operations are launched as necessary. The service unit may also perform continuous data logging on the condition of the production plant. This kind of information may be submitted from the production plant to the service unit in printed or electrical form, for instance.

- 25 In a more advanced format, information can be transferred between the production plant and the service unit using a so-called remote terminal connection such as that described in a magazine titled Kunnossapito (in English: Maintenance), Vol. 6/98. Via established remote terminal connection, the service unit can examine the views displayed on the paper-making machine information system in the same
30 format as they are actually seen in the control room of the machinery. Typical target applications of a remote terminal connection are such as a process control

and condition monitoring system. Over remote terminal connection, the personnel of the production plant can have a simultaneous telephone connection to the service personnel, which assists in providing an efficient and fast solution to problematic situations.

5

Although a remote terminal connection can improve the efficiency of service management, its technical implementation is complicated. To facilitate remote servicing, the service unit must have a separate user interface to each one of the monitored information systems. With the increasing complexity of automation in
10 papermaking machines and the like, the number of installed measurement and information systems increases respectively, which imposes more demands to the performance level of a remote terminal connection. Moreover, different production plants have varied types of systems, which further complicates the operating environment.

15

At to the state of the art, reference is made to US Pat. No. 5,844,601, wherein is described the communication between a production plant and a service center over audio and video connections. In this arrangement, the information gathering about the plant takes place by means of portable or fixed video cameras and earphone-
20 microphone headsets that can be taken to desired areas around the plant. Within the plant area, video and audio signals are transmitted over an RF path to the regional service units and, therefrom, to the central service unit of the plant. From the base unit, the video and audio signals are transmitted to a remote service center using an ISDN connection or other communications facility.

25

In the transfer of information from a production unit to a service unit, the basic requirements are uncompromised confidentiality and data security. The service unit collects data and different key figures from a plurality of production plants, processes the data and returns each production plant feedback data and reference
30 information. The data being gathered may be, e.g., production figures, fault and disturbance information, process values, paper web profiles, etc. When

comparative reference data to be submitted back to the plants is processed, the names of the different production plants are eliminated from the produced data. The automation and maintenance systems of papermaking plants and the like also contain such data that is not desired to be submitted to the service unit. An
5 example is the composition of paste. Frequently, the management system of a production plant contains information from a plurality of production lines, whereby it is necessary to border the access rights of a service unit to cover only the information related to the line concerned in the service contract activity.

10 It is an object of the present invention to provide a novel method and system for information transfer between a production plant and a service unit so that the information to be transferred is transmitted in format secured against access by unauthorized parties.

15 It is a further object of the invention to provide a novel method and system capable of transferring data, audio and video signals for the purpose of enhanced service function.

It is another further object of the invention to provide a novel method and system
20 offering flexible service scheduling.

It is still another further object of the invention to provide a novel method and system facilitating special measurements to be launched from the service unit in problem-solving situations, for instance

25

In view of achieving of the objectives stated above and those that will come out later the method according to the invention is mainly characterized in that method comprises the steps of

- gathering information related to the manufacturing processes and machinery
30 of a production plant by means of at least one information system and/or measurement unit and/or production control unit,

- connecting a service system server to the local information networks of the production plant(s),
- collecting information to the service system server from the different information systems of the production plant(s),
- 5 – sending the information from the production plant to a remote service unit, wherein the information submitted from at least one production plant is collected and analyzed,
- isolating the internal information network of the production plant from the Internet by a firewall,
- 10 – isolating the information network of the service unit from the Internet by a firewall, and
- transferring the information bidirectionally via the firewalls between the information network of the production plant and the information network of the service unit in a secured format.

15

The system according to the invention is characterized in that the system includes in the production plant information systems, wherefrom information is transferred to a service system server and further includes a service unit comprising a data analysis unit and a data bank, and in which system between said production plant
20 and said service unit is established a secured communications connection comprising a firewall of said production plant, a firewall of the service unit and a secured communications connection therebetween..

In the method and system according to the invention, information is transferred
25 between a production plant and a service unit via the Internet in a manner secured against access by unauthorized parties. The protection of data is implemented by means of the so-called firewall technique. A firewall serves to block unauthorized communication and enables authorized communication between a local information network and the Internet. Secured communications over the Internet
30 can be assured, e.g., utilizing data transfer services offered by telecom network operators. With the help of a firewall and the data communications services, it is

possible to establish a monitored gateway over which all communications over the interconnected networks take place. In the arrangement according to the invention, the firewall is located both between the information network of the service unit and the Internet and between the local information network of the production plant and the Internet. The communications channel connecting the service unit to the production plant is established between these firewalls. When necessary, a firewall may also be provided to protect a smaller subnetwork or unit. The authorized users of a protected network are identified at the firewall by their computer IP addresses. These protective measures are complemented with user ID codes and passwords.

Information transfer in the arrangement according to the invention takes place from the production plant's information systems either directly to a service unit or, alternatively, information in the production plant is gathered in a centralized manner to a service system server, wherefrom the data is transferred to the service unit.

The novel communications connection by virtue of the invention between a papermaking production plant or the like and a service providing unit facilitates a plurality of novel approaches to the implementation of maintenance and servicing activities. For instance, continuous data collection from the operation of a production plant gives enhanced possibilities of anticipating future needs of servicing. In certain situations, the scheduled maintenance periods may be extended when the units of machinery exhibit continuous operation without any signs of malfunction. Resultingly, the client can enjoy significant cost savings. Another situation may involve emerging malfunctions that may be anticipated and the service required thereby can be timed as preventive maintenance. These actions counteract long shutdowns of production due to fault situations and allow servicing and spare parts installations to be carried out before actual malfunction has occurred.

In the arrangement according to the invention, the information transmission draws upon the data transfer facilities offered by various telecom network operators for transferring data over the Internet, whereby substantially large amounts of information can be transmitted in a short time. Along with the transmission of numerical and textual data, it is also possible to transfer video and audio signals. These facilities are employed to support information gathering in a production plant particularly during a fault situation. The communications connection established in accordance with the invention also permits special measurements to be launched remotely from the service unit. Furthermore, it is possible to give the production plant's control room personnel recommendations on control of machinery over the communications connection established according to the invention.

In the following the invention will be described in detail with reference of the figures in the accompanying drawing, the invention being however by no means strictly confined to the details of said embodiments or variations.

FIG. 1 shows a diagram illustrating a maintenance arrangement according to the prior art.

20

FIG. 2 shows a diagram illustrating a maintenance arrangement according to the invention between a production plant and a service unit.

FIG. 3 shows a diagram illustrating a maintenance system having a single service unit connected to a plurality of production plants using a communications connection according to the invention.

Referring to FIG. 1, therein is shown a prior-art scheme of maintenance system organization between a production plant 20 and a service unit 10. The production plant 20 may be a paper mill, board mill, pulp production plant, paper finishing plant or the like plant related to the manufacture/conversion of paper/board or

some other kind of production plant.

The process performed in the production plant 20 comprise a highly automated process which is supervised and controlled via the internal information systems of the production plant 20. Such information systems include, e.g., a process control
5 system 21, a production management system 22, a maintenance information system 23, a condition monitoring system 24 and a reporting system 25.

The service unit 10 is provided with a remote terminal connection to the
10 information systems 21, 22, 23, 24, 25 of the production plant 20. From these information systems 21, 22, 23, 24, 25, the information is passed to a remote terminal unit 11 of the service unit 10 over a line L_1 that may be an ISDN connection, for instance. The remote terminal unit 11 contains a user interface for any one of the information systems 21, 22, 23, 24, 25 connected thereto, whereby
15 the remote terminal unit 11 can be used for controlling these information systems in the same fashion as is done on site in the production plant 20. From the remote terminal unit 11, desired information can be transferred to a data analysis unit 12, wherein data obtained from the production plant 20 is analyzed and formed into a desired information format and reports to be utilized both by the service unit 10
20 and the production plant 20.

In FIG. 2 is shown an exemple of a maintenance arrangement in which a protected and secured communications connection is established between the production plant 20 and the service unit 10. Data O21, O22, O23, O24, O25 from the
25 information systems 21, 22, 23, 24, 25 of the production plant 20 is gathered to a service system server 26 wherein the gathered data is treated and processed into a format essentially needed in servicing operations.

In the following, the operating principles and information transfer of the information systems 21, 22, 23, 24, 25 of the production plant 20 are described in more
30 detail. The functions of a paper/board/pulp/finishing/conversion process 100 are

controlled by a process control system 21. As input data In1, the process control system 21 receives desired target values of such variables as product quality and raw material/chemicals consumption, among others. To the process control system, measurement data M1 is gathered from the process machinery 100 and, on the basis of the measurement data M1, takes place the process control C1. The input information In2 of the production management system 22 comprises such data as specifications of ordered products and information OR5 is passed to it from the process control system 21, whereby the process control system 21 also receives information back from the production management system 22. The maintenance information system contains data on spare parts inventory, for instance. The function of the machinery condition monitoring system 24 is to log process parameters (M2) that are vital to the flawless function of the process including vibrations, circulating lubrication oil system, bearings, cleanliness of fabrics and other parameters of the process machinery 100. The process control system 21, the production management system 22, the maintenance information system 23 and the machinery condition monitoring system 24 submit information OR1, OR1, OR3, OR4 to the reporting system 25 that processes the received data into different types of reports OR5 properly formatted chronologically, statistically and in other manners. Each subunit 21, 22, 23, 24, 25 of the information system may also be accessed separately for relevant information (O1, O2, O3, O4).

To the service system server 26 is collected only such data to which access is authorized by the client, that is, the production plant. In other words, not all the subsystems 21, 22, 23, 24, 25 of the information system and/or the information contained and/or produced by the subsystems 21, 22, 23, 24, 25 need not necessarily be accessible by the service system server 26. Hence, information transfer between the subsystems 21, 22, 23, 24, 25 and the service system server 26 may be arranged to occur in a selective manner and to a predetermined extent. For instance, information transfer may take place only from the maintenance information system 23, whereby the data on the need for spare parts, as well as on

the availability of spare parts, are accessible to both of the parties, or, alternatively, from the process control system 21, whereby control of the process may be carried out from the remotely located service unit 10. The service system server 26 provides a standard interface for information transfer to the use of the service unit. The service system server 26 is integrated into the information network of the production plant 20 and is located within the confines of a firewall F₂₀ of said local information network of the production plant 20.

From the service system server 26, the information is transferred via the firewall F₂₀ into the Internet utilizing, e.g., commercially available data transfer facilities (DataNet, LanLink), and therefrom further to the service unit 10. Thus, a secured connection is established by means of such data transfer facilities between firewalls F₁₀ and F₂₀. Data security is assured by identification of the IP addresses of the communicating computers and through the use of passwords and other authorization methods such as data transmission encryption. The thus formed communications connection over the Internet gives a possibility of transferring large amounts of information with high data security. The information may contain, e.g., data, video and/or audio signals.

The information transferred from the production plant is processed in the data analysis unit 12 of the service unit 10 and the analyzed data is stored in a data bank 13. From the service unit 10, the data is transferred back to the service system server 26 located at the production plant over the secured communications connection. Herein, the data transmission may be complemented with other type of information transfer such as video or voice transmission. Resultingly, effective tools are provided for processing fault information concerning a machinery malfunction situation and issuing instructions to the production plant 20. At the production plant 20, the information stored in the data bank 13 of the service unit 10 may be utilized by reading the stored data with the help of a www browser, for instance. However, each client is authorized to full access only to the data related to his own production plant, complemented with anonymous reference data

collected from other production plants. Access to the information is locked behind the use of ID codes and passwords.

In FIG. 3 is shown a service unit 10 having by way of example a secured communications connection to a plurality of production plants 20, 30, 40, 50, 60. The communications connection from the service unit 10 to each one of the production plants 20, 30, 40, 50, 60 is established in accordance with the invention via a firewall F_{10} of the service unit 10 to production plant 20 via its firewall F_{20} , to production plant 30 via its firewall F_{30} , to production plant 40 via its firewall F_{40} , to production plant 50 via its firewall F_{50} and to production plant 60 via its firewall F_{60} . The number of production plants connected to the service unit 10 in accordance with the invention may obviously be varied substantially from that given herein by way of example.

The operation of the service unit 10 may be complemented with an expert group manned by specialists well skilled in the functions of the production plant 20. Obviously, the thus formed expert group can serve a plurality of client production mills and plants that may be located globally anywhere, whereby very quick responses to situations related to servicing and maintenance can be assured. This approach provides significant cost savings, since now not all malfunction situations need any more an expert to attend the plant site for solving a problem. On the other hand, the collected data may be utilized as prognostic information in the planning of service operations, whereby the preparations of the planned service call are carried out in a more efficient manner.

25

Moreover, the experts of the service unit 10 can also give assistance to the local service personnel of the production plants 20, 30, 40, 50, 60. The service unit 10 can initiate measurements in the production plant, perform remote diagnostics and give adjustment recommendations to the production plant personnel. Video and voice transmission over the communications connection assures efficient information transfer between production plant personnel and the service unit

30

personnel.

In the above-described exemplifying embodiments, the production plant 20, 30, 40, 50, 60 may be, e.g., a paper mill, board mill, pulp production plant, paper
5 finishing plant and the like installation related to the manufacture/conversion of paper/board or some other kind of production plant.

In the following the patent claims will be given and various details of the invention may show variation within the scope of the inventive idea defined in the
10 patent claims and differ from the details disclosed above for the sake of example only.

Claims:

1. Method for arranging the maintenance of a production plant such as a paper mill, board mill, pulp production plant, paper finishing plant and the like installation related to the manufacture/conversion of paper/board, **characterized** in that the method comprises the steps of
- gathering information related to the manufacturing processes and machinery of a production plant (20) by means of at least one information system and/or measurement unit and/or production control unit (21, 22, 23, 24, 25),
 - 10 – connecting a service system server (26) to the local information networks of the production plant(s) (20, 30, 40, 50, 60),
 - collecting information to the service system server (26) from the different information systems (21, 22, 23, 24, 25) of the production plant(s) (20, 30, 40, 50, 60),
 - 15 – sending the information from the production plant (20) to a remote service unit (10), wherein the information submitted from at least one production plant (20) is collected and analyzed,
 - isolating the internal information network of the production plant (20) from the Internet by a firewall (F₂₀),
 - 20 – isolating the information network of the service unit (10) from the Internet by a firewall (F₁₀), and
 - transferring the information bidirectionally via the firewalls (F₁₀, F₂₀) between the information network of the production plant (20) and the information network of the service unit (10) in a secured format.
- 25
2. Method according to claim 1, **characterized** in that authorized users in the service unit (10) and the production plant (20) are identified by the IP addresses of the computers between which the communications connection is to be established and/or by the ID codes and/or passwords of the computer operators.
- 30
3. Method according to claim 1 or 2, **characterized** in that the service unit (10) is

located geographically remote from the production plant (20).

4. Method according to any one of foregoing claims 1 - 3, **characterized** in that information is collected to the service unit (10) from a plurality of production
5 plants (20, 30, 40, 50, 60).

5. Method according to any one of foregoing claims 1 - 4, **characterized** in that the service system server (26) sends information to the service unit (10) in a standard format.
10

6. Method according to any one of foregoing claims 1 - 5, **characterized** in that information submitted from the production plant(s) (20, 30, 40, 50, 60) is analyzed in the service unit (10).

15 7. Method according to any one of foregoing claims 1 - 6, **characterized** in that operational recommendations are sent from the service unit (10) to the production plant(s) (20, 30, 40, 50, 60).

8. Method according to any one of foregoing claims 1 - 7, **characterized** in that
20 information analyzed in the service unit (10) is utilized for determining the timing of scheduled maintenance in the units of the production plant(s) (20, 30, 40, 50, 60).

9. Method according to any one of foregoing claims 1 - 8, **characterized** in that
25 data, video and/or audio signals are transferred between the production plant(s) (20, 30, 40, 50, 60) and the service unit (10).

10. System for arranging the maintenance of a production plant, **characterized** in that the system includes in said production plant (20) information systems (21, 22, 23, 24, 25), wherefrom information is transferred to a service system server (26)
30 and further includes a service unit (10) comprising a data analysis unit (12) and a

data bank (13), and in which system between said production plant (20) and said service unit (10) is established a secured communications connection comprising a firewall (F₂₀) of said production plant (20), a firewall (F₁₀) of the service unit (10) and a secured communications connection therebetween.

5

11. System according to foregoing claim 10, **characterized** in that the service unit (10) operates over a secured communications connection with at least one production plant (20, 30, 40, 50, 60), each one of them being isolated from the Internet by means of a firewall (F₂₀, F₃₀, F₄₀, F₅₀, F₆₀).

10

12. System according to foregoing claim 10 or 11, **characterized** in that the service unit includes a data analysis unit (12) for data processing and analysis as well as a data bank (13) connected to the same for data storage.

15

13. System according to any one of foregoing claims 10 - 12, **characterized** in that the data bank (13) of the service unit (10) is provided with a www interface for browsing of information.




FIG. 1

THIS PAGE BLANK (USPTO)




FIG. 2

THIS PAGE BLANK (USPTO)




FIG. 3

THIS PAGE BLANK (USPTO)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 00/00283

A. CLASSIFICATION OF SUBJECT MATTER

IPC7: G05B 19/418, G06F 17/60

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: G05B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category* | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|-----------|---|-----------------------|
| X | EP 0822473 A2 (CANON KABUSHIKI KAISHA), 4 February 1998 (04.02.98), column 3, line 4 - column 4, line 2; column 7, line 19 - line 27, abstract -- | 1-13 |
| A | US 5909493 A (TETSURO MOTOYAMA), 1 June 1999 (01.06.99) -- | 1-13 |
| A | EP 0645028 B1 (THE DOW CHEMICAL COMPANY), 29 March 1995 (29.03.95) -- | 1-13 |
| A | EP 0825506 A2 (FOXBORO CORPORATION), 25 February 1998 (25.02.98) -- | 1-13 |

☐ Further documents are listed in the continuation of Box C.

☒ See patent family annex.

* Special categories of cited documents

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"I" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

1 August 2000

Date of mailing of the international search report

02-08-2000

Name and mailing address of the ISA/

Swedish Patent Office
Box 5055, S-102 42 STOCKHOLM
Facsimile No. +46 8 666 02 86

Authorized officer

KRISTOFFER OGEBJER/EE
Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT

Information on patent family members

02/12/99

International application No.

PCT/FI 00/00283

| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
|---|---------------------|----------------------------|---------------------|
| EP 0822473 A2 | 04/02/98 | JP 10097966 A | 14/04/98 |
| | | JP 11015520 A | 22/01/99 |
| US 5909493 A | 01/06/99 | FR 2754661 A | 17/04/98 |
| | | JP 10145610 A | 29/05/98 |
| EP 0645028 B1 | 29/03/95 | AU 4400993 A | 04/01/94 |
| | | DE 69316009 D,T | 23/04/98 |
| | | JP 7507893 T | 31/08/95 |
| | | CA 2137464 A | 23/12/93 |
| | | EP 0810499 A | 03/12/97 |
| | | ES 2110613 T | 16/02/98 |
| | | US 5428745 A | 27/06/95 |
| | | US 5561770 A | 01/10/96 |
| | | WO 9325948 A | 23/12/93 |
| EP 0825506 A2 | 25/02/98 | NONE | |